

GRAND VITARA



 **SUZUKI**
Way of Life!




Major Equipment:

4-mode 4x4 system/Power and tilt-steering/Electric windows/Central door locking/Remote controlled door lock/Lever-type seat height adjuster (driver's side)/Electrically adjustable outside door mirrors/Front dual airbags/ABS with EBD/Brake-assist/Front 3-point ELR seatbelts with height-adjusters + pretensioners + force-limiters/Rear 3-point ELR seatbelt x 3/Immobiliser/Roof rails*/Front seat-mounted side airbags*/Front and rear curtain airbags*/Keyless start*/Automatic air conditioning*/CD tuner + steering wheel audio switches*/3-spoke leather steering wheel*/Leather seats*/Wood interior garnishes*/Front fog lamps*/Sun roof*/Cruise control*

*Availability may vary by grade and individual markets. Please consult your local Suzuki dealer for a detailed list of standard and optional equipment.

Dimensional Views



*2.7L V6 petrol models: 1,650 mm

Exterior Colours



Seat Materials



NOTE: Body and seat colour combination availability may vary for individual markets.

Major Specifications

Body type		5-door				
Engine		Petrol		Diesel	Petrol	
		2.0L		1.9L DDiS	2.7L V6	
Drive system		4-mode 4x4		4-mode 4x4		4-mode 4x4
Transmission		5MT	4AT	5MT	5MT	5AT
DIMENSIONS						
Overall length		mm		4,470	4,470	
				(w/ spare tyre full cover)*1	(w/ spare tyre full cover)	
Overall width		mm		1,810		
Overall height		mm		1,695		
Wheelbase		mm		2,640		
Tread		Front	mm	1,540		
		Rear	mm	1,570	1,560	
Ground clearance		mm		200		
Minimum turning radius		m		5.5		
Approach angle		°		29		
Ramp breakover angle		°		19		
Departure angle		°		27		
CAPACITIES						
Seating capacity		persons	5			
Luggage capacity		Max. volume (Manufacturer data)	litres	1,386		
		Rear seat tumble folded (VDA method)	litres	758		
		Rear seat raised (VDA method)	litres	398		
Fuel tank capacity		litres	66			
ENGINE						
Type		J20A		F9Q	H27A	
Number of cylinders		4		4	6	
Number of valves		16		8	24	
Piston displacement		cm ³		1,995	1,870	
Bore x stroke		mm		84.0 x 90.0	80.0 x 93.0	88.0 x 75.0
Compression ratio				10.5:1	17.0:1	9.5:1
Maximum output		kW/rpm	103/6,000	95/3,750	135/6,000	
Maximum torque		Nm/rpm	183/4,000	300/2,000	250/4,500	
Fuel distribution		Multipoint injection		Direct injection (Common rail)	Multipoint injection	
TRANSMISSION						
Type		5MT	4AT	5MT	5MT	5AT
Gear ratio		1st	4.550	2.826	3.854	4.550
		2nd	2.357	1.493	2.135	2.357
		3rd	1.695	1.000	1.411	1.695
		4th	1.242	0.688	1.000	1.242
		5th	1.000	—	0.784	1.000
		Reverse	4.436	2.703	3.854	4.436
		Final gear ratio	4.100	5.125	4.300	3.583
Transfer gear ratio		High	1.000			
		Low	1.970			
CHASSIS						
Steering		Rack and pinion				
Suspension		Front	MacPherson strut			
		Rear	Multi-link			
Brakes		Front	Ventilated disc			
		Rear	Leading and trailing drum			
Tyres		225/70R16 225/65R17				
WEIGHTS						
Kerb weight (min.)/(with full options)		kg	1,505/1,575	1,520/1,590	1,590/1,660	1,595/1,650
Gross vehicle weight		kg	2,070			
PERFORMANCE						
Maximum speed		km/h	175	170	170	180
0-100 km/h		secs	12.5	13.6	13.2	9.2(*2)
		secs	12.5	13.6	13.2	9.2(*2)
		secs	12.5	13.6	13.2	9.2(*2)
FUEL CONSUMPTION						
Fuel consumption		CO ₂ emissions	g/km	220	228	205
		Urban	litres/100 km	11.6	12.1	9.4
		Extra-Urban	litres/100 km	7.6	7.9	6.7
		Combined	litres/100 km	9.1	9.4	7.7
		litres/100 km	9.1	9.4	7.7	11.1
		litres/100 km	9.1	9.4	7.7	11.1

Specifications mentioned above are based on European (2.0L, 1.9L DDiS) and Australian (2.7L V6) specification models and may vary for individual markets.

(*1)Overall length of the models with disc type spare tyre cover is 4,445 mm.

(*2)Data is based on North American specification models.

Standard and optional equipment available may vary for individual markets. Please enquire at your dealers, as specifications and illustrations may refer to models not available in your region. Specifications in non-metric units are approximate. SUZUKI MOTOR CORPORATION reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models.

 **SUZUKI**
 SUZUKI MOTOR CORPORATION
 300 TAKATSUKA, HAMAMATSU, JAPAN