



ALTO

Automatic & Manual Transmission



Sole Distributor:



Airport Road

The Big Small Car. City Driving Made



Easy to see. Easy to operate.

The ALTO's new cockpit, with functional instrument panel, was designed for clear visibility and easy operation. A high front hip point and wide front view create comfort and safety, so you can drive with great confidence. The urethane steering wheel fits naturally in your hands, offering a clear view of metres on instrument panel, which are laid out for easy reading at a glance. Power steering, front power windows and power door locks* provide you with more comfort and better operability.

* Power steering, front power windows, power door locks are available on the Deluxe model.



Roomy cabin with versatile luggage space.

Despite its compact body, the ALTO is quite spacious and comfortable inside. Generous headroom, provided by a high ceiling, contributes to a stress-free driving experience. A greatly expanded luggage space allows storage of large loads on shopping and leisure outings. Rear seatbacks fold separately, enabling versatile arrangements to suit the size and amount of luggage you load.



Powerful new clean-running engine.

The ALTO is truly earth-friendly. In fact, its newly developed engine is one of the cleanest in the world (CO₂ emissions: 119g/km on 5MT model). At the same time, in recognition that you'll be driving every day, Suzuki made the ALTO quite powerful as well as fuel-efficient.

Easy.



2 Occupants
Folding down both rear seatbacks creates a maximum 725-litre storage space (Manufacturer data).

HANDY FEATURES FOR DRIVING COMFORT



Halogen headlights



Manually adjustable outside mirrors



Day/night rearview mirror



Cabin light (3-position)



Vanity mirror and ticket holder (driver's side) (Deluxe)



Air conditioner



Front power windows and Power door locks (Deluxe)



Front door trim pockets



Cupholders



Childproof rear door locks

EQUIPMENT			
ALTO			
Transmission		SMT/3AT	
Comfort	Power steering	•	
	Electric windows	•	
	Central door locking	•	
	Heater	•	
	Air conditioning	•	
Instrument Panel	Antenna	•	
	Tachometer	•	
	Tripmeter	•	
	Light-off reminder and key-off reminder	•	
	Cigarette lighter	•	
	Steering wheel	2-spoke Urethane	
Interior	Cabin light (3-position)	Front	
	Sun visor (both sides)	•	
	Vanity mirror and ticket holder (driver's side)	•	
	Console box with cupholders	•	
	Daylight rearview mirror	•	
	Centre console box	•	
	Material of front & rear seats	Fabric	
	Reclining and sliding front seats	•	
	Front-seat head restraints	•	
	Split, foldable rear seat	•	
	Cloth accent front & rear door trims	•	
	Front door trim pockets	•	
	Rear luggage cover	•	
	Assist grips	•	
	Tailgate opener	•	
	Fuel lid opener	•	
	Exterior	Front grille with chrome garnish	•
		Green tinted glass windows	•
		Halogen headlights	•
		Manually adjustable outside mirrors	•
Front wipers (2-speed, intermittent)		•	
Rear window wiper & washer/demister		•	
Tailgate outer handle		•	
Full wheel covers		•	
Coloured bumpers		•	
Front mud flap		Optional	
Safety	High-mounted stop lamp & rear fog lamp	•	
	Front seatbelt pretensioners	•	
	Adjustable shoulder anchorages	•	
	Childproof rear door locks	•	
	Side impact beams (front doors)	•	
	Immobilizer	•	
	Visible VIN	•	

TECHNICAL SPECIFICATIONS					
Model		ALTO MT	ALTO AT		
		5-Door	5-Door		
		5 MT	3 AT		
Dimensions	Overall Length (mm)	3495	3495		
	Overall Width (mm)*	1495	1495		
	Overall Height (mm)	1455	1455		
	Wheelbase (mm)	2360	2360		
	Tread (mm)	Front	1295	1295	
		Rear	1290	1290	
	Minimum Turning Radius (mm)	4.5	4.6		
Ground Clearance (mm)	160	160			
Weight	Curb Weight (Kg) †	805-815	815-825		
	Gross Vehicle Weight (Kg)	1165	1165		
Engine	Type	F16D Water cooled, SOHC			
	Cylinders	In-line, 4	In-line, 4		
	No. of Valves	16	16		
	Swept Volume (cc)	1061	1061		
	Bore x Stroke (mm)	68.5 x 72	68.5 x 72		
	Compression ratio	10:0.2	10:0.2		
	Maximum Power (kW/rpm)	46@6000	46@6000		
	Maximum Torque (Nm/rpm)	85@3200	85@3200		
	Fuel Distribution	MPI	MPI		
	Maximum Speed (km/hr)	155	145		
	Transmission	Type	5 speed, Manual	3 speed, Automatic	
		Gear ratio	1st	3.416	2.659
			2nd	1.894	1.53
3rd			1.28	1	
4th			0.914	NA	
5th			0.757	NA	
Reverse		3.583	2.129		
Final gear ratio	3.789	3.719			
Chassis	Steering	Rack & Pinion, EPS (Optional)			
	Suspension	Front	McPherson Strut with torsion type anti-roll bar		
		Rear	3 link rigid suspension with coil spring & double action telescopic shock absorbers		
	Brakes	Front	Ventilated disk		
Rear		Drum, Leading & trailing			
Tires	155/65R13	155/65R13			
Capacity	Seating	4	4		
	Fuel Tank	35	35		

* - with Body side Molding
† - Curb weight increase by 10kg with A/C

Body Colours



Dimensions



Sales

Suzuki Showroom
Airport Road
Tel. 4621345, 4622357
Fax 4621090

Workshop

Industrial Area
between Street No. 18 & 19
Tel. 4600708, 4600709
Fax 4601272

Spare Parts

Industrial Area
between Street No. 18 & 19
Tel. 4600518
Fax 4604763

